



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/777,404	02/06/2001	Dimitri Kanevsky	13952 (YOR92000664US1)	4539

7590 10/29/2003

Richard L. Catania
Scully, Scott, Murphy & Presser
400 Garden City Plaza
Garden City, NY 11530

EXAMINER

SHAPIRO, LEONID

ART UNIT	PAPER NUMBER
----------	--------------

2673

DATE MAILED: 10/29/2003

11

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/777,404

Applicant(s)

KANEVSKY ET AL.

Examiner

Leonid Shapiro

Art Unit

2673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 May 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,4-7,9,10,12-19,22-25,27,28 and 30-36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,4-7,9,10,12-19,22-25,27,28 and 30-36 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1, 4-5,9-10,12,19, 22-23, 27-28,30, rejected under 35 U.S.C. 103(a) as being unpatentable over Zamojdo et al. (US Patent No. 6,272,431 B1) in view of Breed et al. (US Patent No. 6,405,132 B1) and Wild (US Patent No. 6,081,388).

As to claim 1, Zamojdo et al. teaches a navigational system for a vehicle with an optical arrangement installed on at least one transparent viewing surface for a driver of the vehicle, optical arrangement representing images displayed on one viewing surface producing guiding images for imparting directions to the driver (See Fig. 3, 4, item 625, in description See Col. 3, Lines 13-14 and 31-37); at least one viewing surface comprising lenses of optical arrangement having at least one arrow provided thereon and there are displayed objects located exteriorly of vehicle (See Fig. 3, item 621, in description See Col. 3, Lines 31-37), facilitating a 3-dimensional spatial image perception (See Fig. 3, item 621, in description See Col. 1, Lines 23-30); images have graphical representation pointing toward objects observed by the driver (See Fig. 3, item 621, in description See Col. 3, Lines 31-37); graphical representations comprise an image of at least one arrow display on at least one viewing surface pointing towards a selected object for guiding the driver in a specified direction of travel (See Fig. 3, item 621, in description See Col. 3, Lines 31-37).

Zamojdo et al. does not teach a navigational system, wherein system is in operative communications with a global positioning system (GPS) so as to impart information to the driver regarding objects observed on at least one viewing surface and indicated by the driver by pointing to the objects with pointing means.

Breed et al teaches system is in operative communications with a global positioning system (GPS) so as to impart information to the driver regarding objects observed on at least one viewing surface and indicated by the driver by pointing to the objects with pointing means (See Fig. 4-5, items 46,48,54,56,58, in description See from Col. 69, Line 50 to Col. 70, Lines 54). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the system as shown by Breed et al. in the Zamojdo et al. system so as to impart information to the driver regarding objects observed on at least one viewing surface and indicated by the driver by pointing to the objects with pointing means in order to increase the speeds and shortening distances between vehicles (See Col. 68, Lines 333-37 in Breed et al reference).

Zamojdo et al. and Breed et al. do not teach lenses having regulatable degrees of curvature.

Wild teaches to adjust the flexible lens surface curvature by using electronic data processing device and actuating means (See in description Col. 3, Lines 35-41 and Col. 5, Lines 37-40).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the flexible lenses as shown by Wild in Breed et al. and the Zamojdo et al. system in order to enable an imaging quality adopted to requirements (See Col. 2, Lines 47-48).

As to claim 19, Zamojdo et al. teaches a method for navigational of a vehicle with an optical arrangement installed on at least one transparent viewing surface for a driver of the vehicle, optical arrangement representing images displayed on one viewing surface producing guiding images for imparting directions to the driver (See Fig. 3, 4, item 621, in description See Col. 3, Lines 13-14 and 31-37); at least one viewing surface comprising lenses of optical arrangement having at least one arrow provided thereon and there are displayed objects located exteriorly of vehicle (See Fig. 3, item 621, in description See Col. 3, Lines 31-37), facilitating a 3-dimensional spatial image perception (See Fig. 3, item 621, in description See Col. 1, Lines 23-30); graphical representations comprise an image of at least one arrow display on at least one viewing surface pointing towards a selected object for guiding the driver in a specified direction of travel (See Fig. 3, item 621, in description See Col. 3, Lines 31-37).

Zamojdo et al. does not teach method for the navigational system, wherein system is in operative communications with a global positioning system (GPS) so as to impart information to the driver regarding objects observed on at least one viewing surface and indicated by the driver by pointing to the objects with pointing means.

Breed et al teaches the system and method system in operative communications with a global positioning system (GPS) so as to impart information to the driver regarding objects observed on at least one viewing surface and indicated by the driver by pointing to the objects with pointing means (See Fig. 4-5, items 46,48,54,56,58, in description See from Col. 69, Line 50 to Col. 70, Lines 54). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the system as shown by Breed et al. in the Zamojdo et al. system and method so as to impart information to the driver regarding objects observed on at least one

Art Unit: 2673

viewing surface and indicated by the driver by pointing to the objects with pointing means in order to increase the speeds and shortening distances between vehicles (See Col. 68, Lines 333-37 in Breed et al reference).

Zamojdo et al. and Breed et al. do not teach lenses having regulatable degrees of curvature.

Wild teaches to adjust the flexible lens surface curvature by using electronic data processing device and actuating means (See in description Col. 3, Lines 35-41 and Col. 5, Lines 37-40).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the flexible lenses as shown by Wild in Breed et al. and the Zamojdo et al. method in order to enable an imaging quality adopted to requirements (See Col. 2, Lines 47-48).

As to claim 4, Zamojdo et al. teaches a navigational system, wherein at least one arrow is projected on at least one viewing surface so as to be perceived in a 3-dimentional spatial image (See Fig. 3, item 621, in description See Col. 3, Lines 31-37).

As to claim 22, Zamojdo et al. teaches a navigational method, wherein at least one arrow is projected on at least one viewing surface so as to be perceived in a 3-dimentional spatial image (See Fig. 3, item 621, in description See Col. 3, Lines 31-37).

As to claim 5, Zamojdo et al. teaches a navigational system, wherein at least one viewing surface comprises the windshield of automobile vehicle (See Fig. 3, 4, item 16, in description See Col. 3, Lines 13-14).

As to claim 23, Zamojdo et al. teaches a navigational system, wherein at least one viewing surface comprises the windshield of automobile vehicle (See Fig. 3, 4, item 16, in description See Col. 3, Lines 13-14).

As to claim 9, Zamojdo et al. teaches a navigational system, wherein system comprises means to assist drivers of the vehicle having reading disabilities and restrictions to read the names of objects and streets displayed on at least one viewing surface (See Fig. 3, item 621, in description See Col. 1, Lines 40-42).

As to claim 27, Zamojdo et al. teaches a navigational method, wherein system comprises means to assist drivers of the vehicle having reading disabilities and restrictions to read the names of objects and streets displayed on at least one viewing surface (See Fig. 3, item 621, in description See Col. 1, Lines 40-42).

As to claim 10, Zamojdo et al. does not teach a navigational system, wherein system comprises means to assist drivers of the vehicle to recognize the colors of traffic lights as displayed on at least one viewing surface.

Breed et al teaches the system comprises means to assist drivers of the vehicle to recognize the colors of traffic lights as displayed on at least one viewing surface (See Fig. 14, item 180, in description Col.14, Lines 1-12).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the system as shown by Breed et al. in the Zamojdo et al. apparatus in order to increase the range of applications for the navigation system.

As to claim 28, Zamojdo et al. does not teach a navigational method, wherein system comprises means to assist drivers of the vehicle to recognize the colors of traffic lights as displayed on at least one viewing surface.

Breed et al teaches the system comprises means to assist drivers of the vehicle to recognize the colors of traffic lights as displayed on at least one viewing surface (See Fig. 14, item 180, in description Col.14, Lines 1-12).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the system as shown by Breed et al. in the Zamojdo et al. method in order to increase the range of applications for the navigation system.

As to claim 12, Zamojdo et al. teaches a navigational system, wherein pointing means comprise at least one arrow (See Fig. 3, item 621, in description See Col. 3, lines 31-37).

As to claim 30, Zamojdo et al. teaches a navigational method, wherein pointing means comprise at least one arrow (See Fig. 3, item 621, in description See Col. 3, lines 31-37).

2. Claims 6,24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zamojdo et al., Breed et al. and Wild as applied to claims 1, 19 above.

As to claim 6, Zamojdo et al., Breed et al. and Wild do not teach a navigational system, wherein at least one viewing surface comprises a side front window of an automobile vehicle.

Since the criticality of the placing the image on a side window was not showing in the specifications or drawings such placement would have been considered as an obvious variation on the matter of selecting the viewing surface. It would have been obvious to one of ordinary skill in the art at the time of the invention to place the image on the side front window in the

Art Unit: 2673

Zamojdo et al., Breed et al. and Wild apparatus in order to increase the range of applications for the navigation system.

As to claim 24, Zamojdo et al. and Breed et al. do not teach a navigational method, wherein at least one viewing surface comprises a side front window of an automobile vehicle.

Since the criticality of the placing the image on a side window was not showing in the specifications or drawings such placement would have been considered as an obvious variation on the matter of selecting the viewing surface. It would have been obvious to one of ordinary skill in the art at the time of the invention to place the image on the side front window in the Zamojdo et al., Breed et al. and Wild method in order to increase the range of applications for the navigation system.

3. Claims 7,25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zamojdo et al., Breed et al. and Wild as applied to claims 1, 19 above, and further in view of Schoolman (US Patent No. 5,281,957).

As to claim 7, Zamojdo et al., Breed et al. and Wild do not teach viewing surface comprises eyeglasses worn by the driver of the vehicle.

Schoolman teaches the display constructed in a manner similar to a pair of eyeglasses but with the liquid crystal display screens replacing or forming a portion of the eyeglasses lenses (See Fig. 4-5, items 21, 35, in description See Col. 5, Lines 37-46). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the pair of eyeglasses as shown by Schoolman in the Zamojdo et al., Breed et al. and Wild apparatus in order to increase the range of applications for the navigation system.

As to claim 25, Zamojdo et al., Breed et al. and Wild do not teach viewing surface comprises eyeglasses worn by the driver of the vehicle.

Schoolman teaches the display constructed in a manner similar to a pair of eyeglasses but with the liquid crystal display screens replacing or forming a portion of the eyeglasses lenses (See Fig. 4-5, items 21, 35, in description See Col. 5, Lines 37-46). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the pair of eyeglasses as shown by Schoolman in the Zamojdo et al., Breed et al. and Wild method in order to increase the range of applications for the navigation system.

4. Claims 13-16, 31-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zamojdo et al., Breed et al. and Wild as applied to claims 1, 19 above, and further in view of Walker et al. (US Patent No. 6,199,014 B1).

As to claim 13-16, Zamojdo et al., Breed et al. and Wild teach a navigational system, wherein a computer is operatively connected to system for operating at least one arrow (See Fig. 3, item 621, in description See Col. 3, Lines 31-37).

Zamojdo et al., Breed et al. and Wild do not show means for inputting information to computer by the driver (by microphone or keyboard), computer including means for information displayed on at least one viewing surface while communicating with global positioning system, and imparting directional instructions to driver (by loudspeaker) in response to processing of items of information.

Walker et al. shows means for inputting information to computer by the driver (by microphone or keyboard), computer including means for information displayed on at least one

Art Unit: 2673

viewing surface while communicating with global positioning system, and imparting directional instructions to driver (by loudspeaker) in response to processing of items of information (See Fig. 3, items 301-305, 310, 320, in description See Col. 6, Lines 3-34). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the approach as shown by Walker et al. in the Zamojdo et al., Breed et al. and Wild system in order to increase the range of applications for the navigation system.

As to claim 31-34, Zamojdo et al. and Breed et al. teach a navigational method, wherein a computer is operatively connected to system for operating at least one arrow (See Fig. 3, item 621, in description See Col. 3, Lines 31-37).

Zamojdo et al., Breed et al. and Wild do not show means for inputting information to computer by the driver (by microphone or keyboard), computer including means for information displayed on at least one viewing surface while communicating with global positioning system, and imparting directional instructions to driver (by loudspeaker) in response to processing of items of information.

Walker et al. shows means for inputting information to computer by the driver (by microphone or keyboard), computer including means for information displayed on at least one viewing surface while communicating with global positioning system, and imparting directional instructions to driver (by loudspeaker) in response to processing of items of information (See Fig. 3, items 301-305, 310, 320, in description See Col. 6, Lines 3-34). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the approach as shown by Walker et al. in the Zamojdo et al., Breed et al. and Wild method in order to increase the range of applications for the navigation system.

5. Claim 17-18, 35-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zamojdo et al., Breed et al., Walker et al. and Wild as applied to claims 13, 31.

As to claims 17-18, Walker et al. teach control means (mouse) as input device (See Fig. 3, item 310, in description See Col. 6, Line17).

Zamojdo et al., Breed et al., Walker et al. and Wild do not teach about a mouse mounted on the steering wheel.

Since the criticality of the placing the mouse on the steering wheel was not showing in the specifications or drawings such placement would have been considered as an obvious variation on the matter of selecting the mounting item. It would have been obvious to one of ordinary skill in the art at the time of the invention to place the mouse on the steering wheel in the Zamojdo et al., Breed et al., Walker et al. and Wild apparatus in order to increase the range of applications for the navigation system.

As to claims 35-36, Walker et al. teach control means (mouse) as input device (See Fig. 3, item 310, in description See Col. 6, Line17).

Zamojdo et al., Breed et al., Walker et al. and Wild do not teach about a mouse mounted on the steering wheel.

Since the criticality of the placing the mouse on the steering wheel was not showing in the specifications or drawings such placement would have been considered as an obvious variation on the matter of selecting the mounting item. It would have been obvious to one of ordinary skill in the art at the time of the invention to place the mouse on the steering wheel in

Art Unit: 2673

the Zamojdo et al., Breed et al., Walker et al. and Wild method in order to increase the range of applications for the navigation system.

Response to Amendment

6. Applicant's arguments filed on 05-22-03 with respect to claims 1, 4-7, 9-10, 12-19, 22-25, 27-28, 30-36 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

The Plesko (US Patent No. 5,864,128) reference discloses lens with variable focal length.

Telephone inquire

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leonid Shapiro whose telephone number is 703-305-5661. The examiner can normally be reached on 8 a.m. to 5 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 703-305-4938. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.


Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4750.

Application/Control Number: 09/777,404

Page 13

Art Unit: 2673

ls

A handwritten signature in black ink, appearing to read 'Vijay Shankar', written in a cursive style.

**VIJAY SHANKAR
PRIMARY EXAMINER**